



Rud
exhaust



RUD EXHAUST SYSTEM LLC

“RUD EXHAUST SYSTEM” LLC is a modern, fast-growing industrial company, the main principles of which are high professionalism, responsibility to each client and reliability of the guaranteed result. These principles are put into life by a team of highly qualified professionals who work for the benefit of the company and share common values and goals. Our company welcomes and encourages the initiative and creativity of our employees, which, of course, is one of the most important criteria for success in working with our customers.

Stability and responsibility are the foundation of our work. We help our clients to feel confident in all areas of the company's activities.

Our company is fitted with all modern equipment, increasingly equipment with CNC (Computerized and Numerically Controlled). This allows us to manufacture the goods with high quality requirements. High professionalism and modern approach of engineers and designers, allows creating high-quality, modern and high-tech products recognized not only in Ukraine, but also in the world, which is confirmed by European and local certificates of importing countries.

During the existence of the enterprise we exported products to Germany, the Netherlands, Jordan, Israel, South Korea, Latvia, Lithuania, Estonia, etc.

OUR VALUES

- We keep our promises.
- Trust must be earned every day.
- We want to be among the leaders.
- To do everything better than yesterday.
- To do everything tomorrow better than today.
- We understand our partners.
- We do our best for establishing mutually profitable and long-term relations.

We strive for success not only for our company but for the people working at it. And this particular rule ensures the longevity for our company.



Phone order: +38 050 638 20 21

E-mail: l.rud.export@gmail.com




CONVECTIVE HEATING EQUIPMENT



Phone order: +38 050 638 20 21
E-mail: I.rud.export@gmail.com





Convective wood stoves «Rud Pyrotron» are high-effective heating equipment of countinuous burning.

Heating of premises in the standard mode is achieved with the hekp of convection and air warming with is going through the pipes in the body.

Wood stoves «Rud Pyrotron» are manufactured in six typical sizes with the heating power from 7kW to 50kW and allow to heat the rooms with the volume up to 1500m³

The main operating mode – is smouldering burning, the wood stove can operate up to 14 hours on one loading of fuel. The operating mode is regulated by the consumer and depends on the rate and the speed of achievement the necessary temperature in the heating room. The convection of the tube wall of the stove is not regulated and provides maximum efficiency of the space heating.

- HIGH EFFICIENCY

Not less than 70%

- LONG-TIME COMBUSTION

up to 14 hours on one loading

- ECONOMY OF FUEL

Two-step burning mode ensures total burning of fuel

- EASY TO USE

No speciality skill for installation and maintanance is needed





**Convective heating wood stove
"Country" type 00**

Capacity 7,11 kW

Volume of the heating area – 125 m³

Highly efficient heating equipment for autonomous heating of rooms up to **125 m³**. The capacity is **7,11 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels are **NOT** included to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.



Own production.



**Convective heating wood stove
"Country" with cooking top type 00**

Capacity 7,11 kW

Volume of the heating area – 125 m³

Highly efficient heating equipment for autonomous heating of rooms up to **125 m³**. The capacity is **7,11 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels **are included** to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.



Own production.



Convective heating wood stove “Country” type 01

Capacity 10,4 kW

Volume of the heating area – 200 m³

Highly efficient heating equipment for autonomous heating of rooms up to **200 m³**. The capacity is **10,4 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels are **NOT** included to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.



Own production.



Convective heating wood stove “Country” with cooking top type 01

Capacity 10,4 kW

Volume of the heating area – 200 m³

Highly efficient heating equipment for autonomous heating of rooms up to **200 m³**. The capacity is **10,4 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels **are included** to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.



Own production.



Convective heating wood stove "Country" type 02


Capacity 15,5 kW

Volume of the heating area – 400 m³

Highly efficient heating equipment for autonomous heating of rooms up to **400 m³**. The capacity is **15,5 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels are **NOT** included to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.

 Own production.



Convective heating wood stove "Country" with cooking top type 02


Capacity 15,5 kW

Volume of the heating area – 400 m³

Highly efficient heating equipment for autonomous heating of rooms up to **400 m³**. The capacity is **15,5 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels **are included** to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.

 Own production.



Convective heating wood stove "Country" type 03

Capacity 25,4 kW

Volume of the heating area – 600 m³

Highly efficient heating equipment for autonomous heating of rooms up to **600 m³**. The capacity is **25,4 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels are **NOT** included to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.



Own production.



Convective heating wood stove "Country" with cooking top type 03

Capacity 25,4 kW

Volume of the heating area – 600 m³

Highly efficient heating equipment for autonomous heating of rooms up to **600 m³**. The capacity is **25,4 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels **are included** to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.



Own production.



Own production.

Industrial line

**Convective heating wood stove
"Maxi" type 04**

Capacity 44 kW

Volume of the heating area – 1250 m³

Highly efficient heating equipment for autonomous heating of rooms up to **1250 m³**. The capacity is **44 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

The glass with cleaning system and the stovebase are ordered additionally.



Own production.

Industrial line

**Convective heating wood stove
"Maxi" type 05**

Capacity 56 kW

Volume of the heating area – 1625 m³

Highly efficient heating equipment for autonomous heating of rooms up to **1625 m³**. The capacity is **56 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006 and EN 13240-2001/ A2:2004 / AC : 2007**

The glass with cleaning system and the stovebase are ordered additionally.

GARDEN SWINGS



Phone order: +38 050 638 20 21
E-mail: I.rud.export@gmail.com





RUD Swings are the best models for buyers' reviews.

Designed for 4 people.

The frame of the garden swing is made of a steel pipe: 60 mm, wall thickness - 1.5 mm.

Swings are covered with powder, wear-resistant, all-weather polymer paint.

The paint does not crack and protects the metal from rust.

The seat and back of the garden swing is made of a metal grid on the springs. It does not sag and at the same time is very comfortable for a rest.

The seat can be fixed with hooks to the legs of the swing.

This model is laid out to the sofa with the help of "one-click" handles (the position of the handles is up and back).

The position of the awning (tilt up and down) is regulated by side locks on the roof.

The standard set includes: futon, fabric tent and 2 pillows.

The coverings of the futon, awning and cushions are made of natural cotton (Italy).
Filler of the futon - foam rubber, pillow filler - holofayber (Ukraine).



Phone order: +38 050 638 20 21

E-mail: l.rud.export@gmail.com





Garden swing "Barokko Green-Gold"

Designed for 4 people.

The frame of the garden swing is made of steel pipe of 60 mm.

← Own Production.

Garden swing "Barokko Blue-Gold"

Designed for 4 people.

The frame of the garden swing is made of steel pipe of 60 mm.

Own Production. →



Garden swing "Barokko Red-Gold"

Designed for 4 people.

The frame of the garden swing is made of steel pipe of 60 mm.

← Own Production.





Garden swing "Barokko Blue-Silver"

Designed for 4 people.

The frame of the garden swing is made of steel pipe of 60 mm.

← Own Production.

Garden swing "Antalya"

Designed for 4 people.

The frame of the garden swing is made of steel pipe of 60 mm.

Own Production. →



Mosquito net

for Rud garden swings

← Own Production.

PARK BENCHES



Phone order: +38 050 638 20 21
E-mail: I.rud.export@gmail.com





Park bench

Powder painting, colour according to the RAL catalogue.

Wood: dry pine, treated with antiseptic and covered with varnish.

Overall bench size 1600x720

Concreting, anchoring, free-standing.

← Own production.

Park bench

Powder painting, colour according to the RAL catalogue.

Wood: dry pine, treated with antiseptic and covered with varnish.

Overall bench size 1600x720

Concreting, anchoring, free-standing.

Own production. →





Park bench

← Own production.



Park bench

← Own production.

Powder painting, colour according to the RAL catalogue.
Wood: dry pine, treated with antiseptic and covered with varnish.
Overall bench size 1600x720
Concreting, anchoring, free-standing.



↑ Own production.

Park bench

Anti-vandal.
Powder painting, colour according to the RAL catalogue.
Perforated metal.
Overall bench size 2100x720
Concreting, anchoring, free-standing.



↑ Own production.

Park bench

Anti-vandal.
Powder painting, colour according to the RAL catalogue.
Perforated metal.
Overall bench size 2100x720
Concreting.



Park bench

← Own production.

Anti-vandal.

Powder painting, colour according to the RAL catalogue.

Perforated metal.

Overall bench size 3100x420

Concreting, anchoring, free-standing.



Park bench

← Own production.

Anti-vandal.

Powder painting, colour according to the RAL catalogue.

Perforated metal.

Overall bench size 3100x420

Concreting.



Park bench

← Own production.


Anti-vandal.
Powder painting, colour according to the RAL catalogue.
Perforated metal.
Overall bench size 2000x800
Concreting.



Park bench

← Own production.


Anti-vandal.
Powder painting, colour according to the RAL catalogue.
Perforated metal.
Overall bench size 2000x800
Concreting.



Set – park bench and table

← Own production.

Powder painting, colour according to the RAL catalogue.
Wood: dry pine, treated with antiseptic and covered with varnish.
Overall bench size 1800x720



Artist built park bench

← Own production.

Stainless steel
Powder painting, colour according to the RAL catalogue.
Wood: dry pine, treated with antiseptic and covered with varnish.
Overall bench size 1800x720
Concreting, anchoring, free-standing.



Own production.

Park Bench

Increased corrosion and wear resistance of the structure is achieved with the help of thermoplastic powder paint. Warranty - 50 years. The beam is impregnated with a semi-transparent, clear, antiseptic Satin Woodstain TM "Johnstone's", England. This high-quality coating with a light shine is designed for smooth wood surfaces. A coating is both decorative and protective. It is ideal for garden accessories. The coating has natural wood colors with an attractive light shine. Contains fungicidal and antical additives.

Anchoring

Phone order: +38 050 638 20 21
E-mail: l.rud.export@gmail.com



GARDEN TABLES AND ALCOVES



Phone order: +38 050 638 20 21
E-mail: l.rud.export@gmail.com





Own production.

Garden table – Garden alcove

Powder painting, colour according to the RAL catalogue.

Wood: dry pine, treated with antiseptic and covered with varnish.

Overall bench size 1800x720

Anchoring, free-standing.



Set – Garden Table and Benches

← Own production.

Anti-vandal set.

Powder painting, colour according to the RAL catalogue.

Perforated metal.

Size 1800 x 780



Set – Garden Table and Benches

← Own production.

Wood: Deck board treated with antiseptic and covered with lacquered lazur.

Powder painting, colour according to the RAL catalogue.

Size 2400 x 780

Garden Set – table and 4 chairs



Garden set is designed for cafes, outdoor restaurants, patios.
Made of deck board and metal tubes.
Powder painting, colour according to the RAL catalogue.
Sizes – according to your design.
Anchoring.

← Own production.



Metal portable table and chairs

Powder hammer paint
The thickness in the folded state is only 150 mm.
The material of the soft part is jacquard, leatherette, foam rubber.
The table and chairs have stable anti-slip plastic feet.



← Own production.

PARK LITTERBINS



Phone order: +38 050 638 20 21
E-mail: I.rud.export@gmail.com



Park litterbin



Powder painting, colour according
to the RAL catalogue.
Concreting, anchoring, free-standing.
Volume – 40 litres
Options: ashtray



Own production.

WOOD STOVES FOR COOKING DISHES



Phone order: +38 050 638 20 21
E-mail: I.rud.export@gmail.com





Mobile stove "Baker"

The stove operates on wood logs, briquettes, charcoal. It means that the stove can be used in different places and conditions.

You can easily place your mobile stove "Baker" anywhere in the city in populous places, equip a movable restaurant and sell tasty food which is cooked on wood logs to customers. You have at least two advantages over the competitors when opening the movable pizzeria. First of all, you are mobile and it means that you can offer your products on all events in the city. Secondly, you can offer great competitive product to the customers because the food which is cooked on wood logs is always more delicious than the food from the gas stove. Preparation time in the mobile stove is only 5 minutes.

The stove is portable: it can be put in the luggage boot of the car with ease.

Dimensions in the assembled condition
(Height*Width*Depth): 600mm*500mm*550mm
Weight: 40 kg

← Own production.



The outdoor wood stove "Roma"

This stove is an opportunity to sell delicious and popular fast food without binding to a specific place. With our proprietary recipes and cast-iron kitchenware, you can cook a wide variety of delicious dishes: meat, fish, cereals, soups, roast, etc. The control of a mobile pizzeria has many advantages, the most important of which is that you can change the location and serve various events, going to the address of the customer (outdoor events, food fairs, concerts, weddings, anniversaries). Tourist resorts, near the sea, the lake or in the mountains are also places where you can place your mobile cafe.

The stove is portable. It consists of the stove itself, a base for it and two wheels for easier movement.

← Own production.



 Own production.

Multi-kitchen

Multi-functional outdoor wood stove. The wood stove is made as a portable transformer furnace which combines the wood stove with cooking top and charcoal grill. It combines the complex of details that are able to convert the common charcoal grill into the smokehouse area and barbeque with the side table.

The main part of the transformer furnace is the cooking top which can serve as a heating device, and the main source of thermal energy for cooking various dishes with the use of special cast-iron surface which is located on the top of the stove. Also the thermal energy and generated smoke from the stove can be passed to the barbecue area for cooking and smoking products with the help of the gate valve on the side part of the furnace. The furnace is equipped with a combustion control system consisting of a main air supply flap and a burner flap in the rear wall of the stove. There is a pullout ash-box which can be used for smooth regulation of the lower combustion in the chamber of the furnace, therewith it performs the basic function of collecting ash. The outflow of combustion products is discharged from the furnace through the main chimney, which consists of type-setting pipes (included). In the lower part of the furnace a niche is equipped, both for auxiliary items and for firewood.



Own production.

Wood stove “Country” with cooking top and bakeoven

Highly efficient heating equipment for autonomous heating of rooms up to **200 m³** and cooking meals. The capacity is **10,4 kW**. Characteristics of the stove are confirmed by European Certificate of Quality according to the Standards **EN 13240 : 2001 / AC : 2006** and **EN 13240-2001/ A2:2004 / AC : 2007**

Side decorative panels are NOT included to the standard set.

The glass with cleaning system and the stovebase are ordered additionally.

GRILLS, BARBEQUE



Phone order: +38 050 638 20 21
E-mail: I.rud.export@gmail.com





Own production.

Portable grill

Very convenient, powerful grill. Non-removable grille grate (12 mm). The thickness of the case is 4 mm.

Pipe base - 76 mm.

The grate has 3 positions for selecting the correct temperature mode.

Turning.

The product is painted with ecological fire-resistant paint "Pyrolak" (Greece) which withstands up to 1000 degrees.

Weight without package - 51 kg



Own Production.

Round grill

Designed for the convenience of people with disabilities.

Very convenient, powerful grill. Not removable grille grate (12 mm). The thickness of the case is 4 mm. The grate has three positions for selecting the correct cooking mode. The design does not have a bottom, it is installed on the surface.



Round grill

Very convenient, powerful grill. Non-removable grille grate (12 mm). The thickness of the case is 4 mm. The diameter is 750 mm.

The design does not have a bottom, it is installed on the surface.

Possibility to fix the base.



Own production.



Two-sided anti-vandal park grill

Very convenient, powerful grill. Non-removable grille grate (12 mm). The thickness of the case is 4 mm. Pipe base - 76 mm. Turning.

The grill has 3 positions for selecting the correct cooking mode. For concreting.

Painted with ecological fire-resistant paint "Pyrolak" (Greece) which withstands up to 1000 degrees. Weight without package - 72 kg.



Own production.

BICYCLE PARKINGS



Phone order: +38 050 638 20 21
E-mail: l.rud.export@gmail.com






Bicycle parkings have an additional bracket for the support of the frame, which ensures maximum stability of the bike. Bicycle parkings, manufactured by Rud Exhaust System, have a variant with the possibility of placing two or more bicycles. Arrangement of bicycle parking is possible both to a solid foundation by anchor bolts, and to an unstable basis by the method of concreting.

Powder, polymer painting. Color according to the RAL catalogue.



Own production.



Bicycle parking “G”



Bicycle parking “Herz”

Phone order: +38 050 638 20 21
E-mail: l.rud.export@gmail.com





Bicycle parking "R"



Bicycle parking "Key"



Bicycle parking "L"



Bicycle parking "P"




Bicycle parking “Style”



Bicycle parking “ATB”





“Rud Exhaust System” LLC

Ukraine

49128 Dnipro

Naberezhnaya Zavodskaya str., 82

tel. +38 050 638 2021

Email: I.rud.export@gmail.com

Web-site: www.rudwoodstove.com

Phone order: **+38 050 638 20 21**

E-mail: I.rud.export@gmail.com

